
Topic 2D: Graphical Relationships

Dependent variable is represented by "y" ; Independent variable is represent by "x"

In order to identify graphical shape, solve equation in terms of dependent variable "y".



When x changes, y does not change	When x increases, y increases. The amount of increase in "y" dependent on the function of change in x (x, x^2 of \sqrt{x}). If x decreases, y decreases according the function of x.			When x increases, y does the opposite as a function of x.
y is not related to x	y is directly related to x	y is directly related to the square of x	y is directly related to the square root of x	y is directly related to the inverse of x or inverse square of x
If x is multiplied by 2, y does not change.	If x is multiplied by 2, y is multiplied by 2.	If x is multiplied by 2; y is multiplied by 2 ²	If x is multiplied by 2, y is multiplied by $\sqrt{2}$	Inverse If x doubles, y is divided by 2 Inverse square If x doubles, y is divided by 2 ²
у≠х	y=mx	y=mx²	$y=m\sqrt{x}$	$y = \frac{m}{x}$ or $y = \frac{m}{x^2}$

For each of the phenomena below:

- i. Identify the equation which summarizes the relationship
- ii. Rearrange in terms of the dependent variable (Assume $1^{\rm st}$ mentioned is dependent)
- iii. State which graph represents the relationship (A-E)
- 222. What happens to position (d) as time (t) increases for an object moving at equilibrium?

Equation -

Graph Type

223. What happens to final velocity (v_f) as height (d_y) increases for an object in free-fall?

Equation -

Graph Type -

224.	What happens to the height of a	fall (d _y) if the time (t) of fall increases?
	Equation -	Graph Type -
225. V fall?	What happens to the time (t) of	fall if the height (d_y) of fall increases for an object in free
	Equation -	Graph Type -
226.	What happens to the final velocity	ty (v_f) of a falling object as the time (t) of fall increases?
	Equation -	Graph Type –
227.	What happens the magnitude of	the gravitational field (g) as the time of fall (t) increases?
	Equation -	Graph Type -
	What happens to the time (t) of forceases when dropped from the s	fall for an object as the strength of the gravitational field same height on various planets?
	Equation -	Graph Type –
		nd the equation that relates the variables and solve by irect, direct square, direct square root.
	An object dropped from a height Is for 6 seconds on the same plane	of 5m falls in 2 seconds on planet x. What is the height if et?
	The final velocity for an object th velocity for an object that falls for	at falls of 12 seconds on Mars is 43.2 m/s. What is the 6 seconds on Mars?
	An object moving at equilibrium t t cover in 15 seconds?	for 5 seconds covers a distance of 20m. What distance
	An acorn takes 0.8 seconds to fall rom 9.6m?	I from a height of 3.2m. How much time will it take to